



Medusa Series

PRODUCT INTRODUCTION FOR
THERMAL IMAGING

Contact information

info@falconoptic.com



Medusa Thermal Imaging

M1-650L

- 12μm, 640x512 Detector
- 50mm Germanium Lens
- 1024x768 High-Definition Display
- 18650/3500mAh Battery with up to 5h Runtime
- Laser Rangefinder up to 1000m
- Photo, Video, WiFi Connection
- Smart Ballistic Calculation
- All-Metal Construction
- 10,000J Recoil Test



Medusa Thermal Imaging

M2-650L

- 12μm, 640x512 Detector
- 50mm Germanium Lens with Shift-Resistant Tactical Focus
- 1024x768 High-Definition Display
- 18650/3500mAh Battery with up to 5h Runtime
- Laser Rangefinder up to 1000m
- Photo, Video, WiFi Connection
- Smart Ballistic Calculation
- All-Metal Construction
- 10,000J Recoil Test



Medusa Knob adjustment

M3-650L

- 12μm, 640x512 Detector
- 50mm Germanium Lens
- 1024x768 High-Definition Display
- 5000mAh Battery with up to 9h Runtime
- Laser Rangefinder up to 1000m
- Photo, Video, WiFi Connection
- Smart Ballistic Calculation
- All-Metal Construction
- 10,000J Recoil Test



Medusa Thermal Imaging

M4-219L / M4-225L

- 256*192 Detector
- Optional 19/25mm Germanium element Lens
- 1024x768 High-Definition Display
- 18650/3500mAh Battery with up to 9h Runtime
- Laser Rangefinder up to 1000 meters
- Photo, Video, WiFi Connection
- Smart Ballistic Calculation
- All-Metal Construction
- 10,000J Recoil Test



Medusa Thermal Imaging

M4-219 / M4-225

- 256*192 Detector
- Optional 19/25mm Germanium element Lens
- 1024x768 High-Definition Display
- 18650/3500mAh Battery with up to 9h Runtime
- Photo, Video, WiFi Connection
- All-Metal Construction
- 10,000J Recoil Test



Medusa Integrated LRF

M5-650L

- 12μm, 640x512 Detector
- 50mm Germanium Lens
- 1024x768 High-Definition Display
- 3500mAh*2 Double run-time: up to 10 hours
- Dual power supply system
- Laser Rangefinder up to 1000m
- Photo, Video, WiFi Connection
- Smart Ballistic Calculation
- All-Metal Construction
- 10,000J Recoil Test



Medusa

Integrated LRF

M6-160L

- 12μm, 1280x1024 Detector
- 60mm Germanium Lens
- 2560x2560 High-Definition Display
- 3500mAh*2 Double run-time: up to 10 hours
- Dual power supply system
- Laser Rangefinder up to 1000m
- Photo, Video, WiFi Connection
- Smart Ballistic Calculation
- All-Metal Construction
- 10,000J Recoil Test